




Intelligent Remedies, Inc.

www.intelligentremedies.com



Exhalta™

Control Snoring

Product Information



Exhalta™ Snoring Control Extract is a phytotherapeutic formulation combining extracts of **Gastrodia elata**, **Angelica sinensis**, **Radix bupleuri**, **Zingiber officinale**, and **Cinnamomum verum**, produced using advanced laboratory extraction apparatus and proprietary production protocols. This formulation brings together a synergistic blend of historically valued botanicals, each selected for its documented role in traditional herbal practice supporting respiratory ease, airway comfort, and restful sleep.

Breathing comfort during sleep is a common concern, particularly as we age. Traditional herbal systems including Traditional Chinese Medicine have long addressed respiratory ease and restful sleep through botanical preparations, with certain herb combinations documented for centuries in support of airway comfort and overall nighttime well-being. Exhalta™ draws on this tradition, combining botanicals historically valued for their role in supporting relaxed, comfortable breathing and restorative sleep.

Gastrodia elata (Tian Ma) A prized botanical in Traditional Chinese Medicine with centuries of documented use, tian ma has been historically prepared as a tonic to support calm, neurological ease, and overall restorative function. Researchers have investigated phenolic and gastrodin constituents found in *Gastrodia elata* for their interactions with neurological signaling and vascular tone pathways, and botanical literature has explored how these compounds may influence processes related to relaxation and airway function.

Angelica sinensis (Dong Quai) A cornerstone herb in Traditional Chinese Medicine with centuries of documented use, dong quai has been historically prepared as a blood-tonifying botanical to support circulatory and respiratory vitality. Researchers have investigated polysaccharide, ferulic acid, and Z-ligustilide constituents found in *Angelica sinensis* for their interactions with circulatory and vascular cellular pathways, and botanical literature has explored how these compounds may influence processes related to blood flow and tissue oxygenation.

Bupleurum chinense (Radix Bupleuri) A foundational herb in Traditional Chinese Medicine, bupleurum root has been historically prepared to support liver function, respiratory ease, and overall systemic balance. Researchers have investigated saikosaponin constituents found in *Bupleurum chinense* for their interactions with inflammatory signaling and immune regulatory pathways, and botanical literature has explored how these compounds may influence processes related to respiratory and autonomic function.

Zingiber officinale (Ginger) Cultivated across South and Southeast Asia for millennia, ginger has been a fixture in Ayurvedic, Traditional Chinese, and folk herbal traditions, historically prepared to support digestive ease, warmth, and circulatory comfort. Researchers have investigated gingerol constituents found in *Zingiber officinale* for their interactions with oxidative stress and inflammatory signaling pathways, and botanical literature has explored how these compounds may influence processes related to airway and circulatory function.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



Cinnamomum verum (Ceylon Cinnamon) Prized across South Asian and Middle Eastern herbal traditions for thousands of years, Ceylon cinnamon has been historically prepared as a warming botanical tonic. Researchers have investigated polyphenol and phenolic acid constituents found in *Cinnamomum verum* for their interactions with oxidative stress and metabolic cellular pathways.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

RESEARCH BELOW




Figure 10. Neurodegenerative-diseases-specific network analysis of iTRAQ-based proteomic metabolism in tianma-activated differentiated mouse neuronal N2a cells using IPA. IPA analysis deciphered a group of identified proteins modulated by neural tianma stimulation and their potential interactive link within the context of various neurodegenerative-diseases.

Traditional Chinese herbal formula relieves snoring by modulating activities of upper airway related nerves in aged rats

Kou-Toung Chung*
Chih-Hsiang Hsu*
Ching-Lung Lin
Sheue-Er Wang
Chung-Hsin Wu

Department of Life Science, National
Taiwan Normal University, Taipei,
Taiwan

*These authors contributed equally
to this work

Aim: The present study investigated whether intraperitoneal treatment with the herbal formula B210 ([B210]; a herbal composition of *Gastrodia elata* and *Cinnamomum cassia*) can reduce snoring in aged rats. Also, we studied possible neural mechanisms involved in B210 treatment and subsequent reduced snoring in rats.

Methods and result: We compared pressure and frequency of snoring, activities of phrenic nerve (PNA), activities of recurrent laryngeal nerve (RLNA) and activities of hypoglossal nerve (HNA), inspiratory time (T_i) and expiratory time (T_e) of PNA, and pre-inspiratory time (Pre- T_i) of HNA in aged rats between sham and B210 treatment groups (30 mg/mL dissolved in DMSO). We found that aged rats that received B210 treatment had significantly reduced pressure and frequency of snoring than rats who received sham treatment. Also, we observed that aged rats that received B210 treatment had significantly increased PNA, RLNA, and HNA, extended T_i and T_e of PNA, and prolonged Pre- T_i of HNA compared to rats that received sham treatment. In other words, B210 treatment may relieve snoring through modulating activities and breathing time of upper airway related nerves in aged rats.

Conclusion: We suggested that the B210 might be a potential herbal formula for snoring remission.

Keywords: Chinese herbal medicine, snoring remission, upper airway, phrenic nerve, recurrent laryngeal nerve, hypoglossal nerve

Introduction

Sleep disordered breathing such as serious snoring and sleep apnea is common in aging.¹ Snoring is a sign of resistance to the passage of air into the lungs and also a sign of breathing problems.² Many studies have reported that sleep disordered breathing, such as snoring, was connected with many causes of death such as hypertension, myocardial infarction, and stroke.³⁻⁵ Electrical stimulation of the upper airway dilator muscles to reduce snoring has been used for many years, however, most people do not want intrusive surgery.⁶ All over the world, including Taiwan, many patients with serious snoring are unwilling to use continuous positive airway pressure and to undergo surgery. Thus, seeking a potential traditional Chinese medicine as an alternative treatment may be another option for the treatment of serious snoring.⁷ In Taiwan, the herbal formula B210 ([B210]; a herbal composition of *Gastrodia elata* and *Cinnamomum cassia*) is a well-known, patented Chinese herbal formula (patent no 361075 issued by Intellectual Property Office of Taiwan; patent owner: Brion Research Institute of Taiwan) for patients with sleep disorders to reduce snoring. However, the possible neural mechanism concerning pharmacological


Correspondence: Chung-Hsin Wu
Department of Life Science, National
Taiwan Normal University, 88, Sec 4,
Ting-Chou Road, Taipei 11677, Taiwan
Tel +886 2 7734 6363
Fax +886 2 2931 2904
Email megawu@ntnu.edu.tw

submit your manuscript | www.dovepress.com

Dovepress    
<http://dx.doi.org/10.2147/DDOT.S155996>

Drug Design, Development and Therapy 2018:12 1165–1171

1165

 © 2018 Chung et al. This work is published and licensed by Dove Medical Press Limited. The full terms of this license are available at <http://www.dovepress.com/terms.php> and <https://creativecommons.org/licenses/by-nc/4.0/>. By using the work, you hereby accept the Terms and Conditions of the work as published with any third party permission from Dove Medical Press Limited. The work is properly distributed for permission to reproduce all rights reserved. <http://www.dovepress.com/terms.php>

Chinese Herbs Medicine Huatan Huoxue Prescription for obstructive sleep apnea hypopnea syndrome as complementary therapy

A protocol for a systematic review and meta-analysis

Min Zhou, MS^{a,*}, Qijun Liang, PhD^{b,*}, QiuLan Pei, MS^b, Fan Xu, MS^a, Hang Wen, MS^c

Abstract

Objective: The aim of this systematic review and meta-analysis is to assess effectiveness and safety of Chinese Herbs Medicine Huatan Huoxue Prescription (HTHXP) as complementary therapy in treating bronchiectasis.

Methods: The following databases will be searched: Embase, Cochrane, PubMed, China National Knowledge Infrastructure, Wan Fang, and VIP database from their inception to April 1, 2020. We performed and completed meta-analysis and methodologic evaluation by Review Manager 5.3.3 and stata 12.0 software. Study selection, data extraction, quality assessment, and assessment of risk bias will be performed by 2 reviewers independently. Odds ratios and correlative 95% confidence intervals will be calculated to present the association between the HTHXP and western medicine treatment using Review Manager version 5.3 when there is sufficient available data.

Results: The results will be disseminated through a peer-reviewed journal publication.

Conclusion: These systematic review findings will summarize up-to-date evidence for that HTHXP is more effective and safe as adjunctive treatment for patients with bronchiectasis.

Ethics and dissemination: Ethics approval and patient consent are not required as this study is a systematic review based on published articles.

PROSPERO registration number: INPLASY202050079.

Abbreviations: CPAP = continuous positive airway pressure, GRADE = Grading of Recommendations Assessment, Development and Evaluation, OSAHS = obstructive sleep apnea hypopnea syndrome, TCM = traditional Chinese medicine.

Keywords: Chinese medicine, Huatan Huoxue prescription, meta-analysis, protocol, systematic review

MZ and FX contributed equally to the work.

This study was funded by grants from the National Natural Science Foundation of China (81560792).

The authors have no conflicts of interest to disclose.

The datasets generated during and/or analyzed during the current study are publicly available.

^a College of Clinical Medical, Jiangxi University of Traditional Chinese Medicine, ^b Affiliated Hospital of Jiangxi University of Traditional Chinese Medicine, Nanchang, ^c College of Clinical Medical, Shanghai University of Traditional Chinese Medicine, Shanghai, China.

* Correspondence: Min Zhou, College of Clinical Medical, Jiangxi University of Traditional Chinese Medicine, Nanchang, China; Qijun Liang, Department of respiratory, Jiangxi Hospital of Traditional Chinese Medicine, Jiangxi, Nanchang, East Lake District Bayi Avenue No: 445, Bayi Road, Donghu District, Nanchang, Jiangxi Province 330000, China (e-mail: liangqijun200888@163.com).

Copyright © 2020 the Author(s). Published by Wolters Kluwer Health, Inc. This is an open access article distributed under the Creative Commons Attribution License 4.0 (CCBY), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Zhou M, Liang Q, Pei Q, Xu F, Wen H. Chinese Herbs Medicine Huatan Huoxue Prescription for obstructive sleep apnea hypopnea syndrome as complementary therapy: a protocol for a systematic review and meta-analysis. *Medicine* 2020;99:30(e21070).

Received: 1 June 2020 / Accepted: 3 June 2020

<http://dx.doi.org/10.1097/MD.00000000000021070>

1. Introduction

Obstructive sleep apnea hypopnea syndrome (OSAHS) is a common and potentially dangerous sleep disorder accompanied by cardio-cerebrovascular events and multiple organ injury, which is caused by airway occlusion during sleep secondary to pharyngeal collapse and is characterized by repetitive breathing interruptions when sleeping.^[1,2] The incidence of OSAHS is ~2% to 4% in adults worldwide; nevertheless, relevant epidemiologic studies have revealed that the incidence of OSAHS is increasing especially in younger, which is more common in men than in women.^[3–5] In recent years, considering the high incidence and mortality of OSAHS, the focus in OSAHS has increased in medical institutions and society.^[6,7] Recent statistics have demonstrated that the 5-year mortality rate of untreated OSAHS patients is as high as 11% to 13%, and about 3000 mortalities per day related to OSAHS.^[8] What is more, excessive daytime sleepiness reduces the quality of life of OSAHS patients. Up to now, advanced scientific treatments on OSAHS have been achieved, including oral drugs and continuous positive airway pressure (CPAP), and surgery.^[9] Nevertheless, despite the advanced treatment, OSAHS patients typically show a poor tolerance and compliance.^[10] Furthermore, surgery has been associated with potential complications, such as profuse

Tianma Modulates Blood Vessel Tonicity

Lin Feng^{1,#}, Arulmani Manavalan^{1,2}, Manisha Mishra^{1,2}, Siu Kwan Sze¹, Jiang-Miao Hu³ and Klaus Heese^{1,2,*}

¹School of Biological Sciences, Nanyang Technological University, 60 Nanyang Drive, 637551, Singapore

²Institute of Advanced Studies, Nanyang Technological University, 60 Nanyang View, 639673, Singapore

³Kunming Institute of Botany, Chinese Academy of Science, Kunming 650204, Yunnan, People's Republic of China

Abstract: Tianma is a traditional Chinese medicine (TCM) often used for the treatment of hypertension and heart diseases. To elucidate the function of tianma at the molecular level, we investigated the effect of tianma on vascular functions and aortic protein metabolism. We found that long-term treatment with tianma (~2.5g/kg/day for three months) in one-year-old rats could enhance acetylcholine (ACh)-induced vasorelaxation in endothelium-intact thoracic aortic rings against both KCl (80 mM)- and phenylephrine (PE)-induced contraction. By using the iTRAQ (isobaric tag for relative and absolute quantification) technique, we confirmed from the functional data at the proteome level that tianma treatment down-regulated the expressions of contractile proteins (e.g. Acta2) and other related structural proteins (e.g. desmin), and up-regulated the expressions of extracellular matrix (ECM) glycoproteins (e.g. Fbln5) and anti-thrombotic proteins (e.g. Anxa2) in aortic tissue. By inductive reasoning, tianma could perform its vasodilatory effect not only by inhibiting vascular smooth muscle contraction, but also by enhancing blood vessel elasticity and stabilizing the arterial structure. Thus, tianma might become a novel therapeutic herbal medicine for cardiovascular diseases by regulating the aortic proteome metabolism.

Keywords: Tianma, Vascular disease, Aorta, TCM.

INTRODUCTION

The research, development and use of natural products as therapeutic agents, especially those derived from higher plants, have been increasing in recent years. Traditional Chinese medicine (TCM) involves thousands of herbs for clinical treatments [1-3]. However, the underlying molecular and cellular mechanisms of most herbal medicines remain obscure.

Tianma is the tuber of an orchid, *Gastrodia elata Blume*, and has been used as an ancient Chinese herbal medicine for treating various cardio- and cerebro-vascular and nervous diseases, including convulsion, headache, epilepsy, hypertension and coronary heart diseases [4-6]. Tianma contains many bioactive components such as vanilline, gastrodin, daucosterol, citric acid, succinic acid, parishin and minerals [7-11]. Besides its well known neuroprotective effects [12], tianma also plays a role in vascular circulation through controlling the functions of vascular smooth muscle cells (VSMCs) and inhibiting platelet aggregation [13]. Cardiovascular remodeling caused by VSMCs overgrowth in the large and medium size vessels contributed to the pathogenesis of hypertension and restenosis after angioplasty [14, 15].

Tianma was found to inhibit VSMCs proliferation through decreasing the expressions of proliferating cell nuclear antigen (PCNA) and c-myc, thus inhibiting cardiovascular remodeling [16]. Tianma could also elicit relaxant effects on smooth muscles in the blood vessels, gastrointestinal tract [17] and bladder [18] directly or through inhibiting neurogenic contraction.

In order to comprehensively understand the potential mechanisms by which tianma regulates vascular functions, we investigated the vasodilatory effects of tianma on vascular smooth muscles by measuring the KCl- and phenylephrine (PE)-induced contractility of rat thoracic aorta *ex vivo* using myography. We then quantitatively analyzed the proteomic changes of arterial smooth muscle cells using iTRAQ (two-dimensional (2D) liquid chromatography coupled with tandem mass spectrometry (2D-LC-MS/MS)-based multidimensional protein identification technology combined with multiplex isobaric tag for relative and absolute quantification [19]) after long-term tianma treatment of one-year-old rats. The selective iTRAQ-detected changed proteins were further confirmed at the protein level by using western blot analyses (Fig. 1). Our experimental results showed for the first time that tianma could dilate blood vessels through regulating the cellular protein metabolism, including contractile/structural proteins as well as extra-cellular matrix glycoproteins and anti-thrombotic proteins.

*Address correspondence to this author at the Institute of Advanced Studies, Nanyang Technological University, 60 Nanyang View, 639673 Singapore; Tel: +65-6316-2848; Fax: +65-6791-3856; E-mail: Klaus.Heese@rub.de

#Current address: Department of Obstetrics and Gynecology, University of California Irvine, Irvine, CA 92697, USA

Review Article

Radix Bupleuri: A Review of Traditional Uses, Botany, Phytochemistry, Pharmacology, and Toxicology

Fude Yang,¹ Xiaoxv Dong,² Xingbin Yin,² Wenping Wang,² Longtai You,² and Jian Ni^{1,2}

¹Gansu University of Chinese Medicine, Lanzhou 730000, China

²School of Chinese Materia Medica, Beijing University of Chinese Medicine, Beijing 100102, China

Correspondence should be addressed to Jian Ni; njtcm@263.net

3 HDJWFE ' FCSVBSZ " DQJFE " QJM 1VCYH FE . BZ

Academic Editor: Gail B. Mahady

Copyright © 2017 Fude Yang et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Radix Bupleuri (Chaihu) has been used as a traditional medicine for more than 2000 years in China, Japan, Korea, and other Asian countries. Phytochemical studies demonstrated that this plant contains essential oils, triterpenoid saponins, polyacetylenes, flavonoids, lignans, fatty acids, and sterols. Crude extracts and pure compounds isolated from *Radix Bupleuri* exhibited various biological activities, such as anti-inflammatory, anticancer, antipyretic, antimicrobial, antiviral, hepatoprotective, neuroprotective, and immunomodulatory effects. However, *Radix Bupleuri* could also lead to hepatotoxicity, particularly in high doses and with long-term use. Pharmacokinetic studies have demonstrated that the major bioactive compounds (saikosaponins a, b₂, c, and d) were absorbed rapidly in rats after oral administration of the extract of *Radix Bupleuri*. This review aims to comprehensively summarize the traditional uses, botany, phytochemistry, pharmacology, toxicology, and pharmacokinetics of *Radix Bupleuri* reported to date with an emphasis on its biological properties and mechanisms of action.

1. Introduction

Radix Bupleuri, also called "Chaihu" in Chinese, is derived from the dried roots of *Bupleurum chinense* DC. and *Bupleurum scorzoniferifolium* Willd. [1]. As a traditional herbal medicine, *Radix Bupleuri* has been used widely for the treatments of influenza, fever, inflammation, malaria, menstrual disorders, and hepatitis in China, Japan, Korea, and other Asian countries [2, 3]. According to ancient Chinese medical literatures, *Radix Bupleuri* is capable of regulating the exterior and interior metabolisms, dispersing evil heat from the superficialities, soothing the liver, and promoting yang and qi (representing "life energy" or "life force" in TCM theories). In recent decades, investigations of *Radix Bupleuri* have focused on its biological activities, including its anti-inflammatory [4, 5], anticancer [6, 7], antipyretic [8], antimicrobial [9], antiviral [10], hepatoprotective [11], and immunomodulatory effects [12]. In addition, *Radix Bupleuri* also exhibited significant effects on membrane fluidity [13]. These studies have resulted in the isolation of essential oils, triterpenoid saponins, polyacetylenes, flavonoids, lignans, fatty acids, and sterols from this plant [14]. Among them,

triterpenoid saponins are known to be the major bioactive compounds [15, 16]. Saikosaponins a and d are commonly used as chemical standards for quality evaluation of *Radix Bupleuri* in the current Chinese Pharmacopoeia and recent publications. However, an increasing number of recently published studies have reported adverse effects of *Radix Bupleuri*. The purpose of this review is to provide updated, comprehensive information on the traditional uses, botany, phytochemistry, pharmacology, toxicology, and pharmacokinetics of *Radix Bupleuri* based on scientific literatures in the past few decades. This study will facilitate exploring the therapeutic potential of this plant and evaluate future research opportunities.

2. Traditional Uses

Radix Bupleuri, which is characterized by a wide spectrum of biological and pharmacological effects, has been used as a famous traditional Chinese medicinal herb with a history of medical use in China. According to TCM theory, *Radix Bupleuri* is thought to regulate the exterior and interior

Original Article

Gastrodia elata Blume (tianma) mobilizes neuro-protective capacities

Arulmani Manavalan^{1,2}, Umamaheswari Ramachandran^{1,2}, Husvinee Sundaramurthi¹, Manisha Mishra^{1,2}, Siu Kwan Sze¹, Jiang-Miao Hu³, Zhi Wei Feng¹, Klaus Heese^{1,2}

¹School of Biological Sciences, College of Science, Nanyang Technological University, 60 Nanyang Drive, Singapore 637551, Singapore; ²Institute of Advanced Studies, Nanyang Technological University, 60 Nanyang View, Singapore 639673, Singapore; ³Kunming Institute of Botany, Chinese Academy of Science, Kunming, Yunnan 650204, People's Republic of China.

Received May 1, 2012; accepted May 27, 2012; Epub June 3, 2012; Published June 15, 2012

Abstract: Tianma (*Gastrodia elata* Blume) is a traditional Chinese medicine (TCM) often used for the treatment of headache, convulsions, hypertension and neurodegenerative diseases. Tianma also modulates the cleavage of the amyloid precursor protein App and cognitive functions in mice. The neuronal actions of tianma thus led us to investigate its specific effects on neuronal signalling. Accordingly, this pilot study was designed to examine the effects of tianma on the proteome metabolism in differentiated mouse neuronal N2a cells using an iTRAQ (isobaric tags for relative and absolute quantitation)-based proteomics research approach. We identified 2178 proteins, out of which 74 were found to be altered upon tianma treatment in differentiated mouse neuronal N2a cells. Based on the observed data obtained, we hypothesize that tianma could promote neuro-regenerative processes by inhibiting stress-related proteins and mobilizing neuroprotective genes such as Nxn, Dbnl, Mobk13, Clic4, Mki67 and Bax with various regenerative modalities and capacities related to neuro-synaptic plasticity.

Keywords: Aging, tianma, neuron, neurodegeneration, metabolism, signalling, TCM

Introduction

Since recent data show that the number of people affected by Alzheimer's disease (AD) and dementia is increasing at an epidemic pace, there has been a interest in developing novel protective agents because biological aging also represents the major risk factor with respect to the development of AD, vascular dementia (VD) and other cardiovascular diseases (CD). Traditional herbal medicine is especially attractive for disease prevention, health maintenance, and sicknesses that are non-responsive to current Western medicine and thus has potential benefits that attract worldwide attention and interests. The use of medicinal herbs has a long history in Asia and is commonly used to treat various neurological diseases including stroke, epilepsy and VD [1-3]. Orchids and their derivatives have been shown to benefit the improvement of neural functions in clinical studies but the underlying mechanisms are largely unknown which severely hampered the more extensive applica-

tion of such potential drugs as well as the potential of industrial exploitation of it [4-6]. According to ancient Chinese medical literature, tianma (*Gastrodia elata* Blume, Orchidaceae) is a herbal medicine for the control of the internal movement of wind. The dry tuber of tianma has long been officially listed in the Chinese Pharmacopoeia and is used in treating headaches, dizziness, tetanus, epilepsy, infantile convulsions and numbness of the limbs [4, 6-11]. Previously, we could demonstrate *in vivo* the potential neuro-protective action of tianma and its capacity to enhance cognitive functions in mice [12].

Recently, we have successfully applied the two dimensional (2D) liquid chromatography coupled with tandem mass spectrometry-based isobaric tag for relative and absolute quantification (2D-LC-MS/MS-iTRAQ) strategy in the area of neuro-degenerative diseases [13, 14]. Our group has recently reported the facilitating effect of tianma on α -secretase-mediated cleav-

Original Article

Gastrodia elata Blume (tianma) mobilizes neuro-protective capacities

Arulmani Manavalan^{1,2}, Umamaheswari Ramachandran^{1,2}, Husvinee Sundaramurthi¹, Manisha Mishra^{1,2}, Siu Kwan Sze¹, Jiang-Miao Hu³, Zhi Wei Feng¹, Klaus Heese^{1,2}

¹School of Biological Sciences, College of Science, Nanyang Technological University, 60 Nanyang Drive, Singapore 637551, Singapore; ²Institute of Advanced Studies, Nanyang Technological University, 60 Nanyang View, Singapore 639673, Singapore; ³Kunming Institute of Botany, Chinese Academy of Science, Kunming, Yunnan 650204, People's Republic of China.

Received May 1, 2012; accepted May 27, 2012; Epub June 3, 2012; Published June 15, 2012

Abstract: Tianma (*Gastrodia elata Blume*) is a traditional Chinese medicine (TCM) often used for the treatment of headache, convulsions, hypertension and neurodegenerative diseases. Tianma also modulates the cleavage of the amyloid precursor protein App and cognitive functions in mice. The neuronal actions of tianma thus led us to investigate its specific effects on neuronal signalling. Accordingly, this pilot study was designed to examine the effects of tianma on the proteome metabolism in differentiated mouse neuronal N2a cells using an iTRAQ (isobaric tags for relative and absolute quantitation)-based proteomics research approach. We identified 2178 proteins, out of which 74 were found to be altered upon tianma treatment in differentiated mouse neuronal N2a cells. Based on the observed data obtained, we hypothesize that tianma could promote neuro-regenerative processes by inhibiting stress-related proteins and mobilizing neuroprotective genes such as Nxn, Dbnl, Mobk13, Clic4, Mki67 and Bax with various regenerative modalities and capacities related to neuro-synaptic plasticity.

Keywords: Aging, tianma, neuron, neurodegeneration, metabolism, signalling, TCM

Introduction

Since recent data show that the number of people affected by Alzheimer's disease (AD) and dementia is increasing at an epidemic pace, there has been an interest in developing novel protective agents because biological aging also represents the major risk factor with respect to the development of AD, vascular dementia (VD) and other cardiovascular diseases (CD). Traditional herbal medicine is especially attractive for disease prevention, health maintenance, and sicknesses that are non-responsive to current Western medicine and thus has potential benefits that attract worldwide attention and interests. The use of medicinal herbs has a long history in Asia and is commonly used to treat various neurological diseases including stroke, epilepsy and VD [1-3]. Orchids and their derivatives have been shown to benefit the improvement of neural functions in clinical studies but the underlying mechanisms are largely unknown which severely hampered the more extensive applica-

tion of such potential drugs as well as the potential of industrial exploitation of it [4-6]. According to ancient Chinese medical literature, tianma (*Gastrodia elata Blume*, Orchidaceae) is a herbal medicine for the control of the internal movement of wind. The dry tuber of tianma has long been officially listed in the Chinese Pharmacopoeia and is used in treating headaches, dizziness, tetanus, epilepsy, infantile convulsions and numbness of the limbs [4, 6-11]. Previously, we could demonstrate *in vivo* the potential neuro-protective action of tianma and its capacity to enhance cognitive functions in mice [12].

Recently, we have successfully applied the two dimensional (2D) liquid chromatography coupled with tandem mass spectrometry-based isobaric tag for relative and absolute quantification (2D-LC-MS/MS-iTRAQ) strategy in the area of neuro-degenerative diseases [13, 14]. Our group has recently reported the facilitating effect of tianma on α -secretase-mediated cleav-

- **Highly bio-available due to heat and hydro-alcohol reflux extraction**
 - **Organic, Non-GMO, Gluten free**
- **Extracted with Maui-grown organic sugarcane alcohol and deep ocean mineral water**